



Appln. No.: 10743,398
INVENTOR: RAYCHAUDHURI et al.
FILED: December 23, 2003
ATTORNEY DOCKET.: 037003-0307430
IDEC REF. NO.: 1991-30-0020CP3C3
TITLE: INDUCTION OF CYTOTOXIC T-LYMPHOCYTE RESPONSES

PILLSBURY WINTHROP LLP
MCLEAN, VIRGINIA




FIG. 1A




FIG. 1B




FIG. 1C

PILLSBURY WINTHROP LLP
MCLEAN, VIRGINIA




FIG. 2A




FIG. 2B

PILLSBURY WINTHROP LLP
MCLEAN, VIRGINIA




FIG. 3




FIG. 4A




FIG. 4B




FIG. 4C

PILLSBURY WINTHROP LLP
 MCLEAN, VIRGINIA

CD8 and T cells are the Effector Cells




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12

Antitumor Activity of HOPE2 Cells after a Single Immunization (Day 10) of Soluble E7 Protein in Adjuvant




FIG. 13

Antitumor Activity of HOPE2 Cells after Two Immunizations (Day 10,19) of Soluble E7 Protein in Adjuvant




FIG. 14